


STANDART PST ve PSTH DÜŞEY MİLLİ PİS SU POMPA (1450 d/d)

POMPA TİPİ	GÜCÜ HP	Mil boyu	Çıkış	m ³ /h l/min	4	8	12	16	20	22	24	26	-	Fiyat TL
PST 100	1	1 m	2"	H(mt)	9,7	9,1	8,5	7,6	6,5	6	-	-	-	920
PST 150	1	1 m	2"	H(mt)	9,7	9,1	8,5	7,6	6,5	6	-	-	-	950
PSTH 100	1,5	1,5m	2"	H(mt)	12	11,5	10,8	10	9,2	8,5	8,1	7,5	-	960
PSTH 150	1,5	1,5m	2"	H(mt)	12	11,5	10,8	10	9,2	8,5	8,1	7,5	-	990


STANDART SNT YATAY TEK KADEME NORM POMPA (2900 d/d)

POMPA TİPİ	GÜCÜ HP	Giriş	Çıkış	m ³ /h l/min	5	10	20	30	40	50	60	70	80	Fiyat TL
SNT 32-160	10	2"	1 1/4"	H(mt)	48	48	46	40	24	-	-	-	-	1.390
SNT 32-200	15	2"	1 1/4"	H(mt)	65	65	63	56	45	-	-	-	-	1.790
SNT 32-250	20	2"	1 1/4"	H(mt)	100	100	98	70	7	-	-	-	-	2.135
SNT 40-125	7,5	2 1/2"	1 1/2"	H(mt)	33	33	32	29	25	-	-	-	-	1.290
SNT 40-200	20	2 1/2"	1 1/2"	H(mt)	60	59	59	57	51	40	-	-	-	2.040
SNT 40-250	40	2 1/2"	1 1/2"	H(mt)	92	91	90	88	84	78	68	-	-	3.290
SNT 50-160	15	2 1/2"	2"	H(mt)	48	48	48	46	45	42	39	35	-	1.850
SNT 50-200	30	2 1/2"	2"	H(mt)	68	68	67	65	65	63	61	58	54	2.650
SNT 50-250	50	2 1/2"	2"	H(mt)	94	93	93	92	92	91	89	87	83	3.600
POMPA TİPİ	GÜCÜ HP	Giriş	Çıkış	m ³ /h l/min	20	40	60	80	100	120	160	190	220	Fiyat TL
SNT 65-160	25	3"	2 1/2"	H(mt)	48	46	46	44	39	35	-	-	-	2.200
SNT 65-200	50	3"	2 1/2"	H(mt)	65	64	64	65	62	60	50	36	-	3.540
SNT 65-250	75	3"	2 1/2"	H(mt)	98	98	97	96	93	87	71	-	-	6.450
SNT 80-160	30	4"	3"	H(mt)	50	50	50	47	45	42	34	-	-	2.760
SNT 80-200	60	4"	3"	H(mt)	64	64	64	64	64	63	61	57	53	4.925
SNT 80-250	100	4"	3"	H(mt)	101	101	101	101	101	101	100	93	86	sorunuz
POMPA TİPİ	GÜCÜ HP	Giriş	Çıkış	m ³ /h l/sn	40	80	120	160	200	240	280	320	360	Fiyat TL
SNT 100-200	75	5"	4"	H(mt)	61	61	61	61	58	54	50	44	37	6.440
SNT 100-250	150	5"	4"	H(mt)	96	96	96	96	93	90	85	75	58	sorunuz
POMPA TİPİ	GÜCÜ HP	Giriş	Çıkış	m ³ /h l/sn	50	100	150	200	250	300	350	400	450	Fiyat TL
SNT 125-200	100	6"	5"	H(mt)	64	64	64	62	60	58	54	49	42	sorunuz



STANDART SDY DİŞLİ POMPA (1450 d/d)

POMPA TİPİ	GÜCÜ HP	Giriş	Çıkış	m ³ /h	0,7	0,8	0,9	1	1,15	1,26	1,35	3,1	3,8	Fiyat TL
				l/min	11	13	15	16	19	21	22	51	63	
SDY 1	0,5	1"	1"	H(mt)	90	70	50	-	-	-	-	-	-	515
SDY 2	0,75	1"	1"		90	90	90	80	60	-	-	-	-	525
SDY 3	1	1"	1"		90	90	90	90	90	90	50	-	-	570
SDY 4	1,5	1 1/4"	1 1/4"		90	90	90	90	90	90	90	90	50	640
SDY 5	3	1 1/4"	1 1/4"		90	90	90	90	90	90	90	90	90	670



STANDART IN-LİNE SNL 40-125 POMPA (1450 d/d)

Fan çapı	GÜCÜ HP	Giriş	Çıkış	m ³ /h	0	4	6	8	10	12	15	20	kg	Fiyat TL
				l/min	0	66,67	100	133,3	166,7	200	250	333		
Ø 154	0,5	1 1/2"	1 1/2"	H(mt)	7,7	7,6	7,3	6,8	6	5	3	-		610

STANDART IN-LİNE SNL 40-160 POMPA (1450 d/d)

Ø 160	0,5	1 1/2"	1 1/2"	H(mt)	8	7,8	7,3	6,5	5	-	-	-	-	630
Ø 178	0,75	1 1/2"	1 1/2"		10,8	10,5	10,3	9,5	8,2	6,2	-	-	-	650
Ø 184	1	1 1/2"	1 1/2"		11,8	11,6	11,4	10,7	9,6	8	-	-	-	700

STANDART IN-LİNE SNL 40-200 POMPA (1450 d/d)

Ø 175	0,75	1 1/2"	1 1/2"	H(mt)	10	9,7	9,3	8,5	7,6	6	3	-	-	710
Ø 195	1	1 1/2"	1 1/2"		12,5	12,2	11,8	11,3	10,5	9,5	7,3	-	-	750
Ø 214	1,5	1 1/2"	1 1/2"		15	14,7	14,5	14	13,5	12,7	11,2	7,2	-	800

STANDART IN-LİNE SNL 50-125 POMPA (1450 d/d)

Fan çapı	GÜCÜ HP	Giriş	Çıkış	m ³ /h	0	5	10	15	20	25	30	35	40	Fiyat TL
				l/min	0	83,34	166,7	250	333,3	416,7	500	583,3	666,6	
Ø 140	0,5	2"	2"	H(mt)	6,6	6,6	6,2	4,8	-	-	-	-	-	625
Ø 154	0,75	2"	2"		8,2	8,2	7,9	7	5,4	-	-	-	-	645

STANDART IN-LİNE SNL 50-160 POMPA (1450 d/d)

Ø 135	0,5	2"	2"	H(mt)	7,7	7,7	5,5	-	-	-	-	-	-	650
Ø 158	0,75	2"	2"		9,2	9,2	8,7	6,8	-	-	-	-	-	670
Ø 172	1	2"	2"		11	11	10,6	9,3	6,6	-	-	-	-	720
Ø 184	1,5	2"	2"		12,5	12,5	12,4	11	9,6	5	-	-	-	765

STANDART IN-LİNE SNL 50-200 POMPA (1450 d/d)

Ø 178	1	2"	2"	H(mt)	11,3	11,3	11	9,3	-	-	-	-	-	780
Ø 195	1,5	2"	2"		13,8	13,8	18,5	12,7	10,3	-	-	-	-	825
Ø 210	2	2"	2"		16	16	16	15,5	14	11	-	-	-	855
Ø 214	3	2"	2"		17	17	17	16,5	15,3	13	-	-	-	950

STANDART IN-LİNE SNL 50-250 POMPA (1450 d/d)

Ø 220	2	2"	2"	H(mt)	16	16	15,5	14,5	13	10,5	-	-	-	950
Ø 245	3	2"	2"		20	20	19,5	18,5	17,5	16	13,5	10	-	1.035
Ø 264	4	2"	2"		23,5	23,5	23	22	21	20	18	15,5	12	1.090



STANDART IN-LİNE SNL 65-125 POMPA (1450 d/d)

Fan çapı	GÜCÜ HP	Giriş	Çıkış	m ³ /h l/min	0	10	20	30	40	50	60	70	80	Fiyat TL
					0	166,7	333,3	500	666,7	833,3	1000	1166	1333	
Ø 130	0,5	21/2	21/2	H(mt)	4,7	4,5	3	-	-	-	-	-	-	665
Ø 145	0,75	21/2	21/2		6,7	6,6	5,3	-	-	-	-	-	-	690
Ø 154	1	21/2	21/2		7,6	7,6	6,6	-	-	-	-	-	-	735

STANDART IN-LİNE SNL 65-160 POMPA (1450 d/d)

Ø 155	1	21/2	21/2	H(mt)	8,5	8,5	7	-	-	-	-	-	-	770
Ø 170	1,5	21/2	21/2		10,4	10,4	9,5	7	-	-	-	-	-	820
Ø 184	2	21/2	21/2		12	12	11,8	9,7	-	-	-	-	-	850

STANDART IN-LİNE SNL 65-200 POMPA (1450 d/d)

Ø 175	1,5	21/2	21/2	H(mt)	10	9,8	9,1	7,8	5,2	-	-	-	-	895
Ø 188	2	21/2	21/2		11,7	11,4	11	9,8	7,8	-	-	-	-	920
Ø 208	3	21/2	21/2		14,2	14	13,8	13	11,4	9,3	6,8	-	-	1.010
Ø 214	4	21/2	21/2		15,2	15	14,8	14,2	12,8	10,8	8,5	-	-	1.070

STANDART IN-LİNE SNL 65-250 POMPA (1450 d/d)

Ø 210	3	21/2	21/2	H(mt)	15	14,9	14	11	6	-	-	-	-	1.075
Ø 238	4	21/2	21/2		19,2	19	18,7	17	14,5	8,5	-	-	-	1.130
Ø 255	5,5	21/2	21/2		20,3	22,1	22	21	18,5	14,2	9	-	-	1.200
Ø 264	7,5	21/2	21/2		24,4	24,1	24	23	21	17,5	12,5	-	-	1.450

STANDART IN-LİNE SNL 65-315 POMPA (1450 d/d)

Ø 255	4	21/2	21/2	H(mt)	22	22	20	12	-	-	-	-	-	1.500
Ø 275	5,5	21/2	21/2		26	26	24	20	-	-	-	-	-	1.570
Ø 300	7,5	21/2	21/2		31	31	30	25	20	-	-	-	-	1.800
Ø 325	10	21/2	21/2		37	37	36	34	30	20	-	-	-	1.925
Ø 350	15	21/2	21/2		43	43	42	40,5	38	32	22	-	-	2.330

STANDART IN-LİNE SNL 80-125 POMPA (1450 d/d)

Fan çapı	GÜCÜ HP	Giriş	Çıkış	m ³ /h l/min	10	20	30	40	50	70	80	90	110	Fiyat TL
					166,7	333,3	500	666,7	833,3	1166	1333	1500	1833	
Ø 115	0,5	3"	3"	H(mt)	4	3,2	3,3	-	-	-	-	-	-	720
Ø 130	0,75	3"	3"		5,2	4,8	3,2	-	-	-	-	-	-	740
Ø 145	1	3"	3"		6,5	6,2	5,2	3,4	-	-	-	-	-	785
Ø 154	1,5	3"	3"		7,4	7,3	6,5	5,1	3	-	-	-	-	835

STANDART IN-LİNE SNL 80-160 POMPA (1450 d/d)

Ø 148	1	3"	3"	H(mt)	7	6,7	5,3	-	-	-	-	-	-	830
Ø 158	1,5	3"	3"		8,5	8,2	7,3	5,5	-	-	-	-	-	880
Ø 174	2	3"	3"		12	11	9,5	8,4	6,3	-	-	-	-	910
Ø 184	3	3"	3"		11,5	11,4	11	10,3	8,5	6	-	-	-	990

STANDART IN-LİNE SNL 80-200 POMPA (1450 d/d)

Ø 165	2	3"	3"	H(mt)	9,2	9,3	9	7,8	6	-	-	-	-	975
Ø 185	3	3"	3"		11,6	11,8	11,7	11	9,8	5,7	-	-	-	1.060
Ø 200	4	3"	3"		13,7	13,8	13,8	13,7	12,7	9,5	7,3	-	-	1.120
Ø 214	5,5	3"	3"		15,7	16	16	15,8	15,2	13	13,3	9	-	1.190

STANDART IN-LİNE SNL 80-250 POMPA (1450 d/d)

Ø 205	3	3"	3"	H(mt)	13,5	13	12,1	10,5	7,5	-	-	-	-	1.330
Ø 225	4	3"	3"		16,2	16	15,5	14,3	12,5	-	-	-	-	1.390
Ø 240	5,5	3"	3"		18,9	18,7	18,1	17,2	16	10,5	-	-	-	1.460
Ø 264	7,5	3"	3"		22,8	22,7	22,6	21,8	21	17,3	14,5	11,5	-	1.675

STANDART IN-LİNE SNL 80-315 POMPA (1450 d/d)

Ø 260	7,5	3"	3"	H(mt)	22	22	22	21	20	15	12	-	-	1.900
Ø 285	10	3"	3"		28	28	27,8	27	26	22	19	15	-	2.025
Ø 315	15	3"	3"		35	35	35	34,8	34	30,5	28	25	18	2.425
Ø 328	20	3"	3"		38	38	38	38	37,5	35	33	30	23	2.675



STANDART IN-LİNE SNL 100-200 POMPA (1450 d/d)

Fan çapı	GÜCÜ HP	Giriş	Çıkış	m ³ /h l/min	0	20	40	60	80	100	120	140	160	Fiyat TL
					0	333	666	1000	1333	1666	2000	2333	2666	
Ø 175	4	4"	4"	H(mt)	10	10,2	10,2	9,7	8	5,5	-	-	-	1.270
Ø 190	5,5	4"	4"		12	12,1	12	12	11	9	6,5	-	-	1.345
Ø 205	7,5	4"	4"		14	14,1	14,1	14	13,7	12,5	10,5	9,5	-	1.560
Ø 214	10	4"	4"		15,3	15,5	15,7	15,5	15,2	14,5	13	10,5	9,5	1.700

STANDART IN-LİNE SNL 100-250 POMPA (1450 d/d)

Ø 210	5,5	4"	4"	H(mt)	16	16	15,8	14,5	11,5	-	-	-	-	1.540
Ø 225	7,5	4"	4"		18	18	18	17,5	15,5	12	-	-	-	1.760
Ø 245	10	4"	4"		21,8	21,8	21,8	21,5	20,3	17,8	14	-	-	1.900
Ø 264	15	4"	4"		25	25	25,2	25	24,5	23	20	16	-	2.280

STANDART IN-LİNE SNL 100-315 POMPA (1450 d/d)

Ø 260	10	4"	4"	H(mt)	24	24	23,9	23	20	16	-	-	-	2.180
Ø 285	15	4"	4"		29	29	28	28	26	23	19	-	-	2.575
Ø 310	20	4"	4"		34,2	34,2	34	33,5	33	31	27	23	-	2.825
Ø 328	25	4"	4"		38,2	38,2	38	37,5	37	36	33	29	24	3.080

STANDART IN-LİNE SNL 100-400 POMPA (1450 d/d)

Ø 340	20	4"	4"	H(mt)	37	37	37	35	33	28	-	-	-	3.340
Ø 358	25	4"	4"		42	42	42	40	37	34	30	-	-	3.580
Ø 375	30	4"	4"		47	47	47	45	43	40	35	-	-	3.840
Ø 410	40	4"	4"		57	57	57	56	54	52	47	42	-	4.440
Ø 424	50	4"	4"		62	62	62	60	58	57	53	48	-	5.250



STANDART IN-LİNE SNL 40 - 125 POMPA (2900 d/d)

Fan çapı	GÜCÜ HP	Giriş	Çıkış	m ³ /h l/min	0	10	15	20	25	30	40	50	60	Fiyat TL
Ø 120	1,5	11/2	11/2	H(mt)	18,5	15	10	5	-	-	-	-	-	670
Ø 130	2	11/2	11/2		21,5	19	15	9	-	-	-	-	-	720
Ø 147	3	11/2	11/2		27,5	26	23	18	12	-	-	-	-	750
Ø 154	4	11/2	11/2		31	29	27	23	17	10	-	-	-	845

STANDART IN-LİNE SNL 40-160 POMPA (2900 d/d)

Ø 155	4	11/2	11/2	H(mt)	34	32	27	18	-	-	-	-	-	875
Ø 170	5,5	11/2	11/2		42	40	36	30	20	-	-	-	-	970
Ø 184	7,5	11/2	11/2		49	48	45	40	32	-	-	-	-	1.190

STANDART IN-LİNE SNL 40-200 POMPA (2900 d/d)

Ø 170	5,5	11/2	11/2	H(mt)	39	38	35	30	22	-	-	-	-	1.020
Ø 190	7,5	11/2	11/2		49	48	46	42	38	30	10	-	-	1.245
Ø 204	10	11/2	11/2		56	56	55	52	48	43	22	-	-	1.325
Ø 214	15	11/2	11/2		63	62	61	59	56	52	36	-	-	1.770

STANDART IN-LİNE SNL 50-125 POMPA (2900 d/d)

Fan çapı	GÜCÜ HP	Giriş	Çıkış	m ³ /h l/min	0	10	20	30	35	40	50	60	70	Fiyat TL
Ø 115	2	2"	2"	H(mt)	18	18	14	-	-	-	-	-	-	740
Ø 130	3	2"	2"		23	23	20	14	10	-	-	-	-	770
Ø 140	4	2"	2"		27	27	24,5	20	16	13	-	-	-	870
Ø 150	5,5	2"	2"		31	31	29,5	25	22	19	-	-	-	960
Ø 154	7,5	2"	2"		33	33	32	26	25	22	15	-	-	1.175

STANDART IN-LİNE SNL 50-160 POMPA (2900 d/d)

Ø 132	4	2"	2"	H(mt)	26	26	20,5	-	-	-	-	-	-	895
Ø 148	5,5	2"	2"		32	32	30	18	10	-	-	-	-	990
Ø 165	7,5	2"	2"		40	40	39	34	28	18	-	-	-	1.215
Ø 180	10	2"	2"		48	48	48	44	40	35	18	-	-	1.300
Ø 184	15	2"	2"		51	51	51	48	45	40	24	-	-	1.725

STANDART IN-LİNE SNL 50-200 POMPA (2900 d/d)

Ø 180	10	2"	2"	H(mt)	47	47	47	42	37	30	-	-	-	1.355
Ø 200	15	2"	2"		58	58	58	56	54	50	35	-	-	1.800
Ø 214	20	2"	2"		67	67	67	66	65	62	54	35	-	1.990

STANDART IN-LİNE SNL 50-250 POMPA (2900 d/d)

Ø 210	15	2"	2"	H(mt)	60	60	58	54	50	45	-	-	-	1.885
Ø 230	20	2"	2"		72	72	70	67	65	62	53	-	-	2.075
Ø 245	25	2"	2"		82	82	80	77	75	74	67	55	-	2.220
Ø 255	30	2"	2"		90	90	90	87	85	83	78	70	50	2.690
Ø 264	40	2"	2"		96	96	96	95	93	91	86	80	67	3.250

STANDART IN-LİNE SNL 65-125 POMPA (2900 d/d)

Fan çapı	GÜCÜ HP	Giriş	Çıkış	m ³ /h l/min	0	10	20	30	40	50	60	70	80	Fiyat TL
Ø 132	4	21/2	21/2	H(mt)	21	21	20	18	14	8	-	-	-	910
Ø 142	5,5	21/2	21/2		26	26	25	23	20	15	8	-	-	1.000
Ø 148	7,5	21/2	21/2		29,5	29,5	29	28	25	21	14	6	-	1.225
Ø 154	10	21/2	21/2		32	32	32	31	28,5	25	20	12	-	1.320

STANDART IN-LİNE SNL 65-160 POMPA (2900 d/d)

Ø 152	7,5	21/2	21/2	H(mt)	34	34	34	32	28	22	14	-	-	1.265
Ø 167	10	21/2	21/2		40	40	40	40	38	33	27	18	-	1.350
Ø 184	15	21/2	21/2		49	49	49	49	48	46	41	35	28	1.795



STANDART IN-LİNE SNL 65-200 POMPA (2900 d/d)

Fan çapı	GÜCÜ HP	Giriş	Çıkış	m ³ /h l/min	0	20	40	50	60	70	80	90	100	Fiyat TL
Ø 180	15	21/2	21/2	H(mt)	45	45	43	42	38	32	-	-	-	1.850
Ø 200	20	21/2	21/2		56	56	54	52	51	48	44	36	-	2.040
Ø 210	25	21/2	21/2		62	62	60	58	57	57	52	46	40	2.175
Ø 214	30	21/2	21/2		65	65	63	62	62	60	56	53	47	2.650

STANDART IN-LİNE SNL 65-250 POMPA (2900 d/d)

Ø 205	20	21/2	21/2	H(mt)	57	57	54	50	42	-	-	-	-	2.110
Ø 220	25	21/2	21/2		65	65	64	60	55	48	-	-	-	2.250
Ø 235	30	21/2	21/2		75	75	75	73	70	63	55	-	-	2.725
Ø 255	40	21/2	21/2		90	90	90	87	86	82	75	70	-	3.280
Ø 285	50	21/2	21/2		96	96	96	95	94	90	85	80	72	3.600

STANDART IN-LİNE SNL 80 - 125 POMPA (2900 d/d)

Fan çapı	GÜCÜ HP	Giriş	Çıkış	m ³ /h l/min	0	20	40	50	60	70	80	90	100	Fiyat TL
Ø 125	5,5	3"	3"	H(mt)	21	21	19	16	12	8	-	-	-	1.060
Ø 135	7,5	3"	3"		24	24	23	22	19	15	10	-	-	1.275
Ø 148	10	3"	3"		29	29	28,5	27,5	26	23	20	15	10	1.360
Ø 154	15	3"	3"		32	32	32	31	30	28	25	20	15	1.800

STANDART IN-LİNE SNL 80 - 160 POMPA (2900 d/d)

Ø 160	15	3"	3"	H(mt)	36	36	35	34	32	30	26	20	16	1.845
Ø 175	20	3"	3"		43	43	42	41	40	39	36	33	28	2.040
Ø 184	25	3"	3"		47	47	47	46	45	44	42	40	36	2.175

STANDART IN-LİNE SNL 80 - 200 POMPA (2900 d/d)

Fan çapı	GÜCÜ HP	Giriş	Çıkış	m ³ /h l/min	0	20	40	60	80	100	120	140	160	Fiyat TL
Ø 178	20	3"	3"	H(mt)	44	44	44	44	41	35	-	-	-	2.020
Ø 188	25	3"	3"		49	49	49	49	48	43	36	-	-	2.225
Ø 198	30	3"	3"		54	54	54	54	54	50	45	36	-	2.700
Ø 214	40	3"	3"		64	64	64	64	64	64	60	54	44	3.270

STANDART IN-LİNE SNL 80 - 250 POMPA (2900 d/d)

Ø 210	30	3"	3"	H(mt)	60	60	60	57	53	46	-	-	-	2.950
Ø 227	40	3"	3"		70	70	70	68	65	50	50	-	-	3.550
Ø 242	50	3"	3"		80	80	80	78	77	72	65	55	-	3.850
Ø 255	60	3"	3"		87	88	89	88	86	83	77	70	55	4.950
Ø 284	75	3"	3"		95	95	96	95	94	92	86	80	70	6.500

STANDART IN-LİNE SNL 100 - 160 POMPA (2900 d/d)

Fan çapı	GÜCÜ HP	Giriş	Çıkış	m ³ /h l/min	20	40	60	80	100	120	140	160	180	Fiyat TL
Ø 150	15	4"	4"	H(mt)	30	29	28	24	20	12	-	-	-	1.900
Ø 165	20	4"	4"		36	35	34	32	30	24	16	-	-	2.100
Ø 174	25	4"	4"		40	39	38	37	35	31	24	16	-	2.250
Ø 184	30	4"	4"		46	45	44	43	41	38	34	28	19	2.700

STANDART IN-LİNE SNL 100 - 200 POMPA (2900 d/d)

Ø 175	30	4"	4"	H(mt)	41	41	42	42	42	40	36	32	-	2.875
Ø 192	40	4"	4"		49	50	50	50	50	50	47	46	42	3.425
Ø 204	50	4"	4"		55	56	56	56	57	56	56	54	52	3.725
Ø 214	60	4"	4"		61	62	62	62	62	62	62	62	60	4.850

STANDART IN-LİNE SNL 100 - 250 POMPA (2900 d/d)

Ø 212	50	4"	4"	H(mt)	64	65	65	65	64	60	55	50	40	3.950
Ø 225	60	4"	4"		73	73	74	74	73	70	68	63	55	5.050
Ø 235	75	4"	4"		80	80	80	80	80	80	76	73	67	6.600



STANDART YATAY MONOBLOK TEK KADEMELİ SNM 32-125 POMPA (2900 d/d)														
Fan çapı	GÜCÜ HP	Giriş	Çıkış	m ³ /h l/min	0	5	10	15	20	25	30	40	50	Fiyat TL
Ø 120	1,5	2"	11/4	H(mt)	17,8	17,2	15	11	-	-	-	-	-	665
Ø 132	2	2"	11/4		22,2	22	20,5	17	11	-	-	-	-	715
Ø 147	3	2"	11/4		28	27,7	26,5	23,5	18,5	13	-	-	-	745
Ø 154	4	2"	11/4		31	30,7	29,5	26,5	22	15	-	-	-	825
STANDART YATAY MONOBLOK TEK KADEMELİ SNM 32-160 POMPA (2900 d/d)														
Ø 154	4	2"	11/4	H(mt)	33,5	33,5	33	30,5	28	22	-	-	-	870
Ø 165	5,5	2"	11/4		38,2	38,2	38	37	34	30	22	-	-	960
Ø 180	7,5	2"	11/4		45,5	45,5	45,2	45	43	40	35	-	-	1.180
Ø 184	10	2"	11/4		48,5	48,5	48,5	48	46	44	39	24	-	1.260
STANDART YATAY MONOBLOK TEK KADEMELİ SNM 32-200 POMPA (2900 d/d)														
Ø 187	7,5	2"	11/4	H(mt)	44,5	44,5	43	42	40	37	32	-	-	1.220
Ø 200	10	2"	11/4		53	53	52,5	51,5	49	47	43	-	-	1.300
Ø 214	15	2"	11/4		63	63	62,5	62	60	57	53	-	-	1.740
STANDART YATAY MONOBLOK TEK KADEMELİ SNM 32-250 POMPA (2900 d/d)														
Ø 210	10	2"	11/4	H(mt)	59	59	58	57	54	50	-	-	-	1.400
Ø 240	15	2"	11/4		82	82	81,5	81	77	67	-	-	-	1.825
Ø 264	20	2"	11/4		101	101	101	100	98	91	70	-	-	2.025
STANDART YATAY MONOBLOK TEK KADEMELİ SNM 40-125 POMPA (2900 d/d)														
Fan çapı	GÜCÜ HP	Giriş	Çıkış	m ³ /h l/min	0	10	20	30	40	50	60	70	-	Fiyat TL
Ø 124	3	21/2	11/2	H(mt)	20,8	20	18	14	-	-	-	-	-	750
Ø 137	4	21/2	11/2		25,8	25,5	23,5	20,5	-	-	-	-	-	835
Ø 150	5,5	21/2	11/2		31,5	31	30	27	22	-	-	-	-	930
Ø 154	7,5	21/2	11/2		33,5	33	32	29	25	-	-	-	-	1.140
STANDART YATAY MONOBLOK TEK KADEMELİ SNM 40-160 POMPA (2900 d/d)														
Ø 150	5,5	21/2	11/2	H(mt)	32	31,5	29	24	-	-	-	-	-	985
Ø 165	7,5	21/2	11/2		40	39,5	39	34	22	-	-	-	-	1.200
Ø 178	10	21/2	11/2		48	47,9	47	44	36	24	-	-	-	1.280
Ø 184	15	21/2	11/2		52	52	51,5	49	44	34	-	-	-	1.720
STANDART YATAY MONOBLOK TEK KADEMELİ SNM 40-200 POMPA (2900 d/d)														
Ø 178	10	21/2	11/2	H(mt)	44	44	43,2	40	32	-	-	-	-	1.330
Ø 200	15	21/2	11/2		60	59,5	59,2	57,5	50	39	-	-	-	1.770
Ø 214	20	21/2	11/2		70	69,5	69,3	69	64	56	42	-	-	1.960
STANDART YATAY MONOBLOK TEK KADEMELİ SNM 40-250 POMPA (2900 d/d)														
Ø 210	15	21/2	11/2	H(mt)	56	56	54	51	47	40	-	-	-	1.890
Ø 225	20	21/2	11/2		64,5	64	63	60,5	57	50,5	-	-	-	2.080
Ø 238	25	21/2	11/2		73	73	72	69	67	60	54	-	-	2.225
Ø 250	30	21/2	11/2		82,5	82	80	78	75	70	60	-	-	2.680
Ø 264	40	21/2	11/2		92	92	91	89	86	80	72	62	-	3.225
STANDART YATAY MONOBLOK TEK KADEMELİ SNM 50-125 POMPA (2900 d/d)														
Fan çapı	GÜCÜ HP	Giriş	Çıkış	m ³ /h l/min	0	10	20	30	40	50	60	70	80	Fiyat TL
Ø 128	4	21/2	2		19,2	19	18	16	12	-	-	-	-	865
Ø 140	5,5	21/2	2		24,5	23,5	23	21	18	14	-	-	-	960
Ø 148	7,5	21/2	2		29	28,5	28	26	23	20	15	-	-	1.200
Ø 154	10	21/2	2		32,2	31,8	31	29	27	24	20	15	-	1.280



STANDART YATAY MONOBLOK TEK KADEMELİ SNM 50-160 POMPA (2900 d/d)														
Fan çapı	GÜCÜ HP	Giriş	Çıkış	m ³ /h l/min	0	10	20	30	40	50	60	70	80	Fiyat TL
					0	166,7	333,3	500	666,7	833,3	1000	1166	1333	
Ø 150	7,5	21/2	2"	H(mt)	30	29,7	29,2	28	26	22	-	-	-	1.250
Ø 165	10	21/2	2"		37	37	36,5	36	34	30,5	27	-	-	1.330
Ø 184	15	21/2	2"		48	48	47,5	47	45	42	39	35	-	1.780
STANDART YATAY MONOBLOK TEK KADEMELİ SNM 50-200 POMPA (2900 d/d)														
Ø 180	15	21/2	2"	H(mt)	46	46	46	45	43	40,5	38	34	-	1.790
Ø 197	20	21/2	2"		55	55	56	55	54	52	48	45	40	1.980
Ø 208	25	21/2	2"		63	63	63	62	60,5	58	56	53	49	2.120
Ø 214	30	21/2	2"		67	67	67	66	65	63	60,5	58	55	2.570
STANDART YATAY MONOBLOK TEK KADEMELİ SNM 50-250 POMPA (2900 d/d)														
Ø 220	25	21/2	2"	H(mt)	63	63	63	62,5	61	60	56	53	47	2.230
Ø 230	30	21/2	2"		70	70	70	69,5	68	66	64	60	55	2.690
Ø 250	40	21/2	2"		84	84	84	83	82	80	78	75	70	3.275
Ø 264	50	21/2	2"		94	94	94	93	92,5	91	89	86	85	3.540
STANDART YATAY MONOBLOK TEK KADEMELİ SNM 65-125 POMPA (2900 d/d)														
Fan çapı	GÜCÜ HP	Giriş	Çıkış	m ³ /h l/min	0	20	40	60	80	100	120	140	160	Fiyat TL
					0	333,3	333,7	1000	1333	1666	2000	2333	2666	
Ø 123	5,5	3"	21/2	H(mt)	19	18,5	16	11	-	-	-	-	-	1.000
Ø 137	7,5	3"	21/2		24	23,5	21,5	18	13	-	-	-	-	1.220
Ø 150	10	3"	21/2		28	27,3	27	24	20,5	-	-	-	-	1.300
Ø 154	15	3"	21/2		30	30	29	27	24	19	-	-	-	1.740
STANDART YATAY MONOBLOK TEK KADEMELİ SNM 65-160 POMPA (2900 d/d)														
Ø 160	15	3"	21/2	H(mt)	35	34	33	31	26	20	-	-	-	1.800
Ø 175	20	3"	21/2		41,5	41	40	39	36	31	24	-	-	2.000
Ø 184	25	3"	21/2		49	49	47	46	44	40	34	25	-	2.140
STANDART YATAY MONOBLOK TEK KADEMELİ SNM 65-200 POMPA (2900 d/d)														
Ø 183	25	3"	21/2	H(mt)	45	46	47	46	44	38	32	-	-	2.170
Ø 197	30	3"	21/2		54	55	55,3	55	53	48	42	-	-	2.625
Ø 214	40	3"	21/2		63	65	65,2	65	54	62	57	48	-	3.150
STANDART YATAY MONOBLOK TEK KADEMELİ SNM 65-250 POMPA (2900 d/d)														
Ø 210	30	3"	21/2	H(mt)	60	60	60	57	55	47	39	-	-	2.825
Ø 227	40	3"	21/2		70	70	70	68	66	61	55	45	-	3.360
Ø 242	50	3"	21/2		81	81	81	80	78	74	68	60	-	3.680
Ø 255	60	3"	21/2		92	92	92	91	89	85	80	71	60	4.775
Ø 264	75	3"	21/2		98	98	98	98	96	93	88	82	76	6.390
STANDART YATAY MONOBLOK TEK KADEMELİ SNM 80-160 POMPA (2900 d/d)														
Fan çapı	GÜCÜ HP	Giriş	Çıkış	m ³ /h l/min	40	60	80	100	120	140	160	180	200	Fiyat TL
					333,7	1000	1333	1666	2000	2333	2666	3000	3333	
Ø 152	15	4"	3"	H(mt)	32	31	28	24	18	-	-	-	-	1.840
Ø 165	20	4"	3"		38,5	38	37	32	28	22	-	-	-	2.030
Ø 175	25	4"	3"		43,5	42,5	41	38	34	30	24	-	-	2.170
Ø 184	30	4"	3"		49,5	48,5	48	46	42	39	34	28	-	2.640
STANDART YATAY MONOBLOK TEK KADEMELİ SNM 80-200 POMPA (2900 d/d)														
Ø 175	30	4"	3"	H(mt)	42	42	41	40	38	35	32	-	-	2.770
Ø 192	40	4"	3"		50	50,5	50	50	48	45	44	42	38	3.290
Ø 204	50	4"	3"		58	58,5	58	58	57	55	54	52	48	3.625
Ø 214	60	4"	3"		62	64	65	64	60	62	61	60	57	4.720
STANDART YATAY MONOBLOK TEK KADEMELİ SNM 80-250 POMPA (2900 d/d)														
Ø 212	50	4"	3"	H(mt)	65	65	64	62	60	55	47	-	-	3.775
Ø 225	60	4"	3"		73	73	73	72	68	66	60	55	-	4.875



STANDART YATAY MONOBLOK TEK KADEMELİ SNM 100-160 POMPA (2900 d/d)														
Fan çapı	GÜCÜ HP	Giriş	Çıkış	m ³ /h	0	50	100	150	200	250	300	350	400	Fiyat TL
				l/sn	0	13,89	27,78	41,67	55,56	69,45	83,34	97,23	111,1	
173-160	40	5"	4"	H(mt)	32,2	33	33,5	32,2	30	26	21	15	-	3.370
178	50	5"	4"		40	40	40	40	38,5	35	30	23	-	3.680
184	60	5"	4"		42,2	42,5	42,5	42,5	42	39	35	28	20	4.790
STANDART YATAY MONOBLOK TEK KADEMELİ SNM 100-200 POMPA (2900 d/d)														
185	40	5"	4"	H(mt)	44	43,5	43	40,5	35	29	-	-	-	3.360
195	50	5"	4"		51	51	50	49	43,5	38	29	-	-	3.680
205	60	5"	4"		55	55	54,5	54	51	44	38	-	-	4.775
214	75	5"	4"		62	61,8	60,8	60	58	53	48	39	-	6.550
STANDART YATAY MONOBLOK TEK KADEMELİ SNM 100-250 POMPA (2900 d/d)														
210	60	5"	4"	H(mt)	60	61	60	57	50	-	-	-	-	4.925
225	75	5"	4"		69	70	70	67	63	52	-	-	-	6.650

FİYATLARIMIZA KDV DAHİL DEĞİLDİR. 20-C
İSKONTO ve ÖDEME ŞARTLARINI SORUNUZ.